

Rhino M10p


Rhino M10p hero unknown

At a glance

Android 10
Android 11 (2022)
4GB RAM
32GB Storage
Global LTE
EMM validated

Device overview

Image not found or type unknown



Getting started

Doc	Description
Quickstart	Get started with your device quickly

Device spec

Display	10.1" 149.45 PPI G+G Contrast typically 600/800 Brightness up to 200/250 cd m2 1280 x 800 resolution Viewing angles 85°/85°(v/h) 16.7m colours 16:10 aspect ratio 60Hz refresh rate 30/35ms response time 10 touch points
Memory & storage	4GB LPDDR4 32GB eMMC 5.1
Processor	MediaTek i500 Octacore 2.0GHz
SIM	Standard SIM/eSIM
Ports	SIM

	<ul style="list-style-type: none"> MicroSD up to 256GB USB Type C, USB 2.0 (x3) 3.5mm jack RJ11 Port RJ45 Port RS232 Port 24v PSU Socket
Printer	<ul style="list-style-type: none"> Seiko CAPM347 Thermal line dot printing 300mm/sec print speed 54, 56, 72, 80mm print width Auto-cut
Audio	<ul style="list-style-type: none"> Stereo mic array Stereo speakers Wake word support
Connectivity	<ul style="list-style-type: none"> LTE Cat 4 2G: 2 3 5 8 3G: 1 2 4 5 8 4G: 2 3 4 5 7 12 17 20 25 26 30 41 66 71 Wi-Fi 802.11 a/b/g/n/ac Bluetooth V 5.0 Location: GPS, GLONASS, BeiDou, Galileo
Camera	<ul style="list-style-type: none"> 5M FF F2.2 4P lens (AR/OV)
Sensors	<ul style="list-style-type: none"> Gyroscope Ambient light sensor
Environmental	<ul style="list-style-type: none"> Functional up to 95% humidity -10c to 55c typical operating temp Unboxed:L:228.60mm x W:248.92mm x H:190.5mm Boxed:L:273.05mm x W:298.45mm x H:247.65mm IP2X
Certifications	<ul style="list-style-type: none"> FCC CE CEC DOE PRO65 ROHS REACH WEEE UL (power adapter only)

Product lifecycle

For product support and lifecycle status, please see the [security](#) page.

Warranty information

All Rhino hardware comes with a 1 year limited warranty. For detailed warranty information, please see [Rhino Warranty](#).