


RHINO T5se

Image not found or type unknown



At a glance

Android 11
Android 12 (2023)
4GB RAM
64GB Storage
Global LTE
EMM validated

Getting started

Doc	Description	
Quickstart	Get started with your device quickly	Coming soon
Device manual	Learn how to use your T5se in detail	Coming soon
Honeywell N670X Datasheet	Detailed overview of the N670XSR scanner	

Device spec

Display

- 5" FHD+
- 226 PPI
- IPS panel
- Contrast typically 1:800/1000
- Brightness up to 300cd/m2
- 720x1280 resolution
- Viewing angles 85°/85°(v/h)
- 16.7m colours
- 16:10 aspect ratio
- 60Hz refresh rate
- 45ms response time
- 5 touch points
- Glove mode

Memory & storage

- 4GB LPDDR4
- 64GB eMMC 5.1

Processor MediaTek Genio 500 Octacore 2.0GHz

Battery

- 3000mAh Li-ion
- Fast charge supported

	10+ hours typical use 50 days standby
SIM	Single nano
Ports	SIM USB-C (USB 2.0) Scan Gun POGO Charge dock POGO External battery Lasso
Audio	Stereo mic array Stereo speakers Wake word support
Connectivity	LTE Cat 4 3G: 2 4 5 8 4G: 1 2 3 4 5 7 12 13 14 17 20 25 26 30 41 66 71 Wi-Fi 802.11 a/b/g/n/ac Bluetooth 4.2 NFC Location: GPS, GLONASS, A-GAP, BeiDou, Galileo
Camera	8MP front 8MP rear
Scanner	Honeywell N670XSR-RO-103 Red Illumination & Digimarc Enabled
Sensors	Accelerometer Gyroscope Ambient light sensor Proximity sensor
Environmental	Functional up to 95% humidity -20c to 60c typical operating temp Unboxed(LHW): 156.5 x 78.5 x 10.5mm Boxed(LHW): TBD IP54 rated 0.5m drop-tested 5v @ 2.0A power
Accessory support	3,000mAh external battery Trigger-enabled scan gun

Product lifecycle

For product support and lifecycle status, please see the [security](#) page.

Warranty information

All RHINO hardware comes with a 1 year limited warranty. For detailed warranty information, please see [RHINO Warranty](#).