
RHINO T5se



At a glance

Android 11 Android 12 (2023) 4GB RAM 64GB Storage Global LTE EMM validated

Getting started

Doc Description

Quickstart Get started with your device quickly Coming soon

Device manual Learn how to use your T5se in detail Coming soon

Honeywell N670X Datasheet Detailed overview of the N670XSR scanner

Device spec

Display 5" FHD+

226 PPI IPS panel

Contrast typically 1:800/1000 Brightness up to 300cd/m2

720x1280 resolution

Viewing angles 85°/85°(v/h)

16.7m colours 16:10 aspect ratio 60Hz refresh rate 45ms response time

5 touch points Glove mode

Memory & storage 4GB LPDDR4

64GB eMMC 5.1

Processor MediaTek Genio 500 Octacore 2.0GHz

Battery 3000mAh Li-ion

Fast charge supported

10+ hours typical use

50 days standby

SIM Single nano

Ports SIM

USB-C (USB 2.0) Scan Gun POGO Charge dock POGO External battery

Lasso

Audio Stereo mic array

Stereo speakers

Wake word support

Connectivity LTE Cat 4

3G: 2458

4G: 1 2 3 4 5 7 12 13 14 17 20 25 26 30 41 66 71

Wi-Fi 802.11 a/b/g/n/ac

Bluetooth 4.2

NFC

Location: GPS, GLONASS, A-GAP, BeiDou, Galileo

Camera 8MP front

8MP rear

Scanner Honeywell N670XSR-RO-103

Red Illumination & Digimarc Enabled

Sensors Accelerometer

Gyroscope

Ambient light sensor Proximity sensor

Environmental Functional up to 95% humidity

-20c to 60c typical operating temp

Unboxed(LHW): 156.5 x 78.5 x 10.5mm

Boxed(LHW): TBD

IP54 rated

0.5m drop-tested 5v @ 2.0A power

Accessory support 3,000mAh external battery

Trigger-enabled scan gun

Product lifecycle

For product support and lifecycle status, please see the security page.

Warranty information

All RHINO hardware comes with a 1 year limited warranty. For detailed warranty information, please see RHINO Warranty.